

Complexity of Control by Partitioning Veto and Maximin Elections

Cynthia Maushagen

Institut für Informatik
HHU Düsseldorf
40225 Düsseldorf, Germany

Jörg Rothe

Institut für Informatik
HHU Düsseldorf
40225 Düsseldorf, Germany

Abstract

Control by partition refers to situations where an election chair seeks to influence the outcome of an election by partitioning either the candidates or the voters into two groups, thus creating two first-round subelections that determine who will take part in a final round. The model of partition-of-voters control attacks is remotely related to “gerrymandering” (maliciously resizing election districts). While the complexity of control by partition (and other control actions) has been studied thoroughly for many voting systems, such results about the important systems veto and maximin voting are sparse. We settle the complexity of control by partition for veto in a broad variety of models and for maximin with respect to destructive control by partition of candidates.

1 Introduction

Along with manipulation (Bartholdi III, Tovey, and Trick 1989; Conitzer, Sandholm, and Lang 2007) and bribery (Faliszewski, Hemaspaandra, and Hemaspaandra 2009; Faliszewski et al. 2009), electoral control (Bartholdi III, Tovey, and Trick 1992; Hemaspaandra, Hemaspaandra, and Rothe 2007) has been the focus of much attention in computational social choice; see the book chapters by Faliszewski and Rothe (2016) and Baumeister and Rothe (2015) for a survey of the related results. Control scenarios model settings where an external agent, commonly referred to as the *chair*, seeks to influence the outcome of an election by such actions as adding, deleting, or partitioning either the candidates or the voters. We here focus on control by partition.

The above-mentioned chapters and the papers cited therein comprehensively describe applications of voting in artificial intelligence, multiagent systems, ranking algorithms, meta-websearch, etc., and they discuss how computational complexity can be used to provide some protection against manipulation, bribery, and control attacks. In particular, they give real-world examples of the various control types introduced by Bartholdi III, Tovey, and Trick (1992) for the constructive control goal where the chair aims at making a given candidate win and by Hemaspaandra, Hemaspaandra, and Rothe (2007) for destructive control where the goal is to prevent a given candidate’s victory.

The complexity of control has been studied for many voting systems, including plurality, Condorcet, and approval voting (Bartholdi III, Tovey, and Trick 1992; Hema-

spaandra, Hemaspaandra, and Rothe 2007) and its variants (Erdélyi, Nowak, and Rothe 2009; Erdélyi et al. 2015), Copeland (Faliszewski et al. 2009), Borda (Russel 2007; Elkind, Faliszewski, and Slinko 2011; Loreggia et al. 2015; Chen et al. 2015), (normalized) range voting (Menton 2013), and Schulze voting (Parkes and Xia 2012; Menton and Singh 2013). Perhaps a bit surprisingly, complexity results about controlling the important systems veto and maximin voting are sparse. They have been investigated only with respect to control by adding or deleting candidates or voters: Faliszewski, Hemaspaandra, and Hemaspaandra (2011) studied maximin and Lin (2012) studied veto for these control types in terms of their classical complexity, and their parameterized complexity has been explored by Liu and Zhu (2010) for maximin and by Chen et al. (2015) for veto. To the best of our knowledge, complexity results for control by partition have been missing for these two systems to date.

This is the more surprising as control by partition of voters provides a simplified model of gerrymandering (i.e., maliciously resizing election districts), a particularly natural control type known from the real world. One reason why these control scenarios have been neglected so far for veto and maximin may be that proofs for control by partition tend to be technical and challenging. We settle the complexity of control by partition for veto in a broad variety of models and for maximin with respect to destructive control by partition of candidates.

2 Preliminaries

In this section, we define the needed voting systems and control problems and give some background on computational complexity.

Elections, Veto, and Maximin Voting

An election is given by a pair (C, V) , where C is a set of candidates and V a list of the voters’ preferences over the candidates. We will consider only preferences that are linear orders (strict rankings) with the left-most candidate being the most preferred one. For example, a preference $d c a b$ means that this voter prefers d to c , c to a , and a to b .

We will consider two well-known voting systems: veto (a.k.a. antiplurality) and maximin (a.k.a. Simpson).

- In *veto*, every voter vetoes her least preferred candidate, which means that this candidate gets no point while all

other candidates receive one point from this voter, and whoever scores the most points wins. Veto is a prominent positional scoring protocol, a class of important voting systems that are based on the candidates' positional scores; besides veto, this class contains, for example, the popular voting systems plurality and Borda count.

- By contrast, *maximin voting* is based on the pairwise comparisons between the candidates and belongs to the class of Condorcet-consistent voting rules.¹ Given an election (C, V) , for any two candidates $c, d \in C$, let $N(c, d)$ denote the number of voters preferring c to d . The *maximin score* of c is $\min_{c \neq d} N(c, d)$, and whoever has the largest maximin score wins the election.

Control Problems

We consider control by partition of either candidates or voters, as defined by Bartholdi III, Tovey, and Trick (1992) and—for destructive control—by Hemaspaandra, Hemaspaandra, and Rothe (2007). The definitions below have been used in many papers; we refer to the book chapters by Faliszewski and Rothe (2016) and Baumeister and Rothe (2015) for the formal definitions of all problems studied here and for real-world examples motivating each control scenario we are interested in. In each such control scenario, starting from a given election (C, V) and a distinguished candidate $c \in C$, we form two subelections—either (C_1, V) and (C_2, V) where C is partitioned into C_1 and C_2 , or (C, V_1) and (C, V_2) where V is partitioned into V_1 and V_2 —whose winners move forward to a final round if they survive the given tie-handling rule: either *ties-eliminate* (TE) that requires that only unique winners of a first-round subelection move forward, or *ties-promote* (TP) that requires that all winners of a first-round subelection move forward.

Such a partition of either C or V is the chair's control action, and the chair's goal is either to ensure that the distinguished candidate c wins the final round (in the *constructive* case) or to prevent c 's victory (in the *destructive* case), where the final round is always held with all votes from V . In the case of candidate control, we further distinguish between *run-off partition of candidates*, where the winners of (C_1, V) and (C_2, V) surviving the tie-handling rule face each other in the final run-off, and *partition of candidates*, where the winners of (C_1, V) surviving the tie-handling rule face all candidates of C_2 in the final round.

For each such control scenario, we can define a decision problem. As an example, we formally define the decision problem associated with constructive control by partition of voters in model TE for some given voting system \mathcal{E} :

¹A *(weak) Condorcet winner* is a candidate who defeats (ties-or-defeats) every other candidate in pairwise comparison. Condorcet winners do not always exist, but when they do, they are unique, whereas there always exists a weak Condorcet winner, possibly more than one. A voting rule is *Condorcet-consistent* if it respects the Condorcet winner whenever one exists.

\mathcal{E} -CONSTRUCTIVE-CONTROL-BY-PARTITION-OF-VOTERS-TE

Given:	An election (C, V) and a distinguished candidate $c \in C$.
Question:	Can V be partitioned into V_1 and V_2 such that c is the unique \mathcal{E} winner of the two-round election where the winners of the two first-round subelections (C, V_1) and (C, V_2) who survive tie-handling rule TE run against each other in a final round (with the votes from V correspondingly restricted)?

The above problem (denoted by \mathcal{E} -CCPV-TE—the short-hands of the other problems to be used later on will be clear from this example) is defined in the *unique-winner model*. We will also consider the *nonunique-winner model* where the question is changed to ask whether c is a winner (possibly among several winners) of the final round, and we will always specify the winner model we are referring to.

For a control type \mathcal{C} (such as constructive control by partition of voters in model TE), an election system \mathcal{E} is said to be *immune to \mathcal{C}* if it is impossible for the chair to reach her control goal (e.g., to make the given candidate c a unique winner in the constructive case for the unique-winner model, or to ensure that c is not a winner in the destructive case for the nonunique-winner model) via exerting control of type \mathcal{C} ; otherwise, \mathcal{E} is said to be *susceptible to \mathcal{C}* . It is easy to observe that the two voting systems we study here, veto and maximin, are susceptible to every type of control (in both winner models) we have defined above; due to space limitations we omit giving detailed examples verifying these claims. If an election system \mathcal{E} is susceptible to some control type \mathcal{C} , it is common to study the computational complexity of the associated control problem: We say \mathcal{E} is *vulnerable to \mathcal{C}* if the control problem corresponding to \mathcal{C} can be solved in polynomial time, and we say \mathcal{E} is *resistant to \mathcal{C}* if \mathcal{C} is NP-hard.

Computational Complexity

We assume that the reader is familiar with the basic notions of computational complexity, such as the complexity classes P (deterministic polynomial time) and NP (nondeterministic polynomial time) and with the notions of NP-hardness and NP-completeness, based on the polynomial-time many-one reducibility. For more background, we refer to the book by Garey and Johnson (1979).

3 Controlling Veto Elections by Partition of Voters in Model TE

In this section, we show that it is easy to control veto elections by partition of voters in model TE. We start with the constructive case.

Veto-CCPV-TE

We show that veto is vulnerable to constructive control by partition of voters in model TE, in both winner models. Essentially, the polynomial-time algorithm used to prove Theorem 3.1 exploits the fact that, due to the TE model, control is impossible only if either there are two candidates and the distinguished candidate is not already a veto winner (in the

unique-winner model: is not already the only veto winner) of the given election, or there are more than two candidates and some candidate other than the distinguished candidate is not vetoed by any voter. In all other cases it is easy to find a successful partition that ensures the distinguished candidate's victory.

Theorem 3.1. *Veto-CCPV-TE is in P in both the unique-winner and the nonunique-winner model.*

Proof. The following polynomial-time algorithm solves the problem. Given an election (C, V) with n votes in V and a candidate $c \in C$, it proceeds as follows:

1. If there are no more than two candidates, then if c already is a winner (in the unique-winner model: the only winner) of (C, V) , control is possible via the trivial partition (V, \emptyset) , so accept; otherwise, control is impossible, so reject.
2. Otherwise (i.e., if $|C| > 2$), if $score(d) = n$ for some $d \in C \setminus \{c\}$, control is impossible, so reject.
3. Otherwise (i.e., if $|C| > 2$ and $score(d) < n$ for all $d \in C \setminus \{c\}$), it is safe to accept, since control is possible via the partition (V_1, V_2) of V that puts all voters who veto c into V_1 and all other voters into V_2 .

The above algorithm runs in polynomial time and is correct. This is obvious for step 1. Further, it is impossible for c to defeat the candidate d with $score(d) = n$ in step 2 (as d scores the maximum number of points in each first-round subelection, no matter how V is partitioned, which makes it impossible for c to win alone in any subelection). And in step 3, no candidate from V_1 can move to the final round, because either V_1 is empty (in case no one vetoes c) or each of the at least two candidates other than c wins subelection (C, V_1) with the same score and, therefore, will be eliminated in model TE. On the other hand, each candidate $d \neq c$ is vetoed by at least one voter ending up in V_2 , whereas c is not vetoed by any voter in V_2 and thus wins subelection (C, V_2) and the final run-off. This argument applies to both the unique-winner and the nonunique-winner model. \square

Veto-DCPV-TE

A similar algorithm works in the destructive case.

Theorem 3.2. *Veto-DCPV-TE is in P in both the unique-winner and the nonunique-winner model.*

Proof. Given an election (C, V) and a distinguished candidate c , our algorithm works as follows:

1. If $|C| = 1$, control is impossible, so reject.
2. If $|C| = 2$, determine the set of veto winners. If c wins alone, control is impossible, so reject. Otherwise, control is possible via the trivial partition (V, \emptyset) , so accept.
3. If $|C| > 2$, it is safe to outright accept, since control is always possible: Fix some candidate $d \neq c$ and partition V into (V_1, V_2) such that V_1 contains all voters vetoing d and V_2 contains all remaining voters.

The above algorithm obviously runs in polynomial time and its correctness is straightforward for steps 1 and 2, while it follows for step 3 from the observation that if either c or

d is vetoed by everyone then (V_1, V_2) will be trivial (either (\emptyset, V) or (V, \emptyset)) and will thus prevent c from winning, and if neither c nor d is vetoed by everyone then there is a candidate e , $c \neq e \neq d$, who ties for winner with c in (C, V_1) , while d ties-or-defeats c in (C, V_2) ; in either case, c cannot move forward to the final round due to model TE. \square

4 Control by Partition of Candidates in Veto Elections

We now turn to control by partition of candidates in veto elections, considering both constructive and destructive control, both tie-handling models, TE and TP, both the unique-winner and the nonunique-winner model, and the partition problems both with and without run-off.

Veto-CCRPC-TE, Veto-CCPC-TE, Veto-CCPC-TP

We start by showing that veto is resistant to constructive control by run-off partition of candidates in model TE, dealing with the unique-winner model in Theorem 4.1 and with the nonunique-winner model in Corollary 4.4.

Theorem 4.1. *Veto-CCRPC-TE is NP-complete in the unique-winner model.*

Proof. Membership of Veto-CCRPC-TE in NP is obvious. To show that it is NP-hard, we reduce from ONE-IN-THREE-3SAT*, an adaption from the well-known NP-complete problem ONE-IN-THREE-3SAT where the clauses of the given boolean formula do not contain any negated variables (Garey and Johnson 1979, p. 259):

ONE-IN-THREE-3SAT*	
Given:	A set X of boolean variables, a set S of clauses over X , each containing exactly three unnegated literals.
Question:	Does there exist a truth assignment to the variables in X such that exactly one literal is set to true for each clause in S ?

Let (X, S) be an instance of ONE-IN-THREE-3SAT* with $X = \{x_1, \dots, x_m\}$ and $S = \{S_1, \dots, S_n\}$. Construct an election (C, V) with distinguished candidate $c \in C$ by defining $C = X \cup \{c, w\}$, where elements of X from now on will also be viewed as candidates, and the list V of votes as follows:

# votes	preference	for each
$2n^2 + 1$	$w c \cdots x_i$	$i \in \{1, \dots, m\}$
$n - 1$	$w \cdots c$	
1	$c \cdots w S_j \setminus \{x_i\}$	$j \in \{1, \dots, n\}$ and $x_i \in S_j$
$2n$	$w \cdots c S_j$	$j \in \{1, \dots, n\}$

If a set of candidates occurs in such a vote, we tacitly assume a fixed ordering of its candidates in this preference. The dots in a vote represent all remaining candidates (in an arbitrary, fixed order). In particular, there are $3n$ votes of the form $c \cdots w S_j \setminus \{x_i\}$. If, say, clause S_1 contains the literals x_2, x_5 , and x_7 , then the corresponding three votes are

$$c \cdots w x_2 x_5, \quad c \cdots w x_2 x_7, \quad c \cdots w x_5 x_7.$$

Candidate w alone wins in election (C, V) , since the candidates score the following points:²

$$\begin{aligned} \text{score}(c) &= (2n^2 + 1)m + 3n + 2n^2, \\ \text{score}(w) &= (2n^2 + 1)m + 3n + n - 1 + 2n^2, \text{ and} \\ \text{score}(x_i) &\leq (2n^2 + 1)(m - 1) + n - 1 + 3n + 2n^2. \end{aligned}$$

Obviously, the reduction can be computed in polynomial time. It remains to show that (X, S) is a yes-instance of ONE-IN-THREE-3SAT* if and only if (C, V, c) is a yes-instance of Veto-CCRPC-TE.

(\Rightarrow) If (X, S) is a yes-instance of ONE-IN-THREE-3SAT*, then there is a subset $U = \{u_1, \dots, u_k\}$ of X (renaming its elements for convenience) such that $|U \cap S_j| = 1$ for each $j \in \{1, \dots, n\}$. We claim that partitioning C into $C_1 = U \cup \{c, w\}$ and $C_2 = C \setminus C_1$ ensures that c is the only veto winner. To see this, note that the candidates in subelection (C_1, V) have the following scores:

$$\begin{aligned} \text{score}(c) &= (2n^2 + 1)m + 3n + 2n^2, \\ \text{score}(w) &= (2n^2 + 1)m + n - 1 + 2n + 2n^2, \text{ and} \\ \text{score}(u_i) &\leq (2n^2 + 1)(m - 1) + n - 1 + 3n + 2n^2. \end{aligned}$$

For c to win (C_1, V) alone, we have to show that $\text{score}(c) > \text{score}(w)$ and $\text{score}(c) > \text{score}(u_i)$ for all $u_i \in U$: First, $\text{score}(c) > \text{score}(w)$ is equivalent to $(2n^2 + 1)m + 3n + 2n^2 > (2n^2 + 1)m + n - 1 + 2n + 2n^2$, which in turn is equivalent to $3n > 3n - 1$; second, $\text{score}(c) > \text{score}(u_i)$ is equivalent to $(2n^2 + 1)m + 3n + 2n^2 > (2n^2 + 1)(m - 1) + n - 1 + 3n + 2n^2$, which in turn is equivalent to $2n^2 + 1 > n - 1$.

Being the only veto winner of subelection (C_1, V) , c will move forward to the final run-off. If more than one candidate wins subelection (C_2, V) (thus TE blocking them all from moving to the final run-off), c 's overall victory is ensured. On the other hand, if some candidate $x_i \in C_2$ is the only veto winner of (C_2, V) , c will face x_i in the run-off. However, since

$$\text{score}(c) \geq (2n^2 + 1)m + 3n > n - 1 + 2n^2 \geq \text{score}(x_i)$$

in the run-off $(\{c, x_i\}, V)$, c wins the run-off and is the only overall veto winner. Thus (C, V, c) is a yes-instance of Veto-CCRPC-TE in the unique-winner model.

(\Leftarrow) Conversely, let (X, S) be a no-instance of ONE-IN-THREE-3SAT*. Then, for each partition of X into X_1 and X_2 , let k_i be the number of clauses containing i literals from X_1 . We have $1 \leq k_0 + k_2 + k_3 \leq n$, since we started from a no-instance of ONE-IN-THREE-3SAT*. We will show that for each possible combination of the k_i (corresponding to each possible partition of X), candidate c cannot end up being the only veto winner. Note that a partition of X induces a partition of $C = X \cup \{c, w\}$ into C_1 and $C_2 = C \setminus C_1$. It is enough to distinguish the three cases below, and in each case, we will show that c is not the only veto winner.

²Here and in the following, we omit a detailed argumentation of why certain candidates score a certain number of points in some election, due to space limitations and since these scores can be determined straightforwardly.

Case 1: $C_1 = \{c, w\}$. Then $\text{score}(c) = 3n$ and $\text{score}(w) = (2n^2 + 1)m + n - 1 + 2n^2 \geq 4n^2 + n$, so w is the only veto winner of this subelection, and since c does not take part in the final run-off, c will not be an overall winner.

Case 2: C_1 contains c and some elements of X but not w . It is enough to show that w is the only winner of the other subelection, (C_2, V) , since if c wins (C_1, V) , then either c is not promoted to the final round due to TE (if there are other winners) or c loses the final round as we have seen in Case 1. In subelection (C_2, V) , for each $x_i \in C_2$, we have

$$\begin{aligned} \text{score}(w) &\geq (2n^2 + 1)m + n - 1 + 2n^2 \\ &> (2n^2 + 1)(m - 1) + n - 1 + 3n + 2n^2 \\ &\geq \text{score}(x_i), \end{aligned}$$

where the ‘‘greater than’’ follows from $2^n + 1 > 3n$, which is true for all $n > 1$. (For $n = 1$, however, we would have started from a yes-instance of ONE-IN-THREE-3SAT*, which contradicts our assumption.) Thus w is the only veto winner of (C_2, V) , which precludes c 's overall victory in this case.

Case 3: C_1 contains c , w , and some elements of X . Distinguish the following three subcases.

Case 3.1: $k_0 \geq 2$. In this case, we have

$$\begin{aligned} \text{score}(c) &\leq (2n^2 + 1)m + 3n + (n - k_0)2n \text{ and} \\ \text{score}(w) &\geq (2n^2 + 1)m + n - 1 + 2n^2. \end{aligned}$$

Regardless of the points the elements of X in C_1 score, it suffices to show that $\text{score}(c) \leq \text{score}(w)$. This, however, holds since (for $k_0 \geq 2$) the inequality $2n + 1 \leq 2k_0n$ implies

$$(2n^2 + 1)m + 3n + (n - k_0)2n \leq (2n^2 + 1)m + n - 1 + 2n^2.$$

Case 3.2: $k_0 = 1$. In this case, we have

$$\begin{aligned} \text{score}(c) &\leq (2n^2 + 1)m + 3n + (n - k_0)2n \text{ and} \\ \text{score}(w) &\geq (2n^2 + 1)m + n - 1 + 2(n - 1) + 2n^2. \end{aligned}$$

Now, the inequality $3 \leq 2n$ (which is true for $n > 1$; the case $n = 0$ can again be excluded) implies $\text{score}(c) \leq \text{score}(w)$ also in this case.

Case 3.3: $k_0 = 0$. Since we have a no-instance, at least one clause must contain at least two literals from X_1 , so

$$\begin{aligned} \text{score}(c) &= (2n^2 + 1)m + 3n + 2n^2 \text{ and} \\ \text{score}(w) &\geq (2n^2 + 1)m + n - 1 + 2n + 1 + 2n^2. \end{aligned}$$

The term $2n + 1$ in $\text{score}(w)$ is due to the third row in V . Every clause S_j contains at least one literal corresponding to a candidate x_i in C_1 , so w gains at least two points per clause. Since at least one clause contains at least two literals corresponding to candidates in C_1 , w receives all three possible points for this clause, which explains the important additional point. Again, it is enough to show $\text{score}(c) \leq \text{score}(w)$. But this follows since $3n + 2n^2 \leq 2n^2 + 3n$ implies $(2n^2 + 1)m + 3n + 2n^2 \leq (2n^2 + 1)m + n - 1 + 2n + 1 + 2n^2$.

By model TE, c cannot move forward to the final round and thus cannot win the overall election. As we have shown that c is not the only veto winner in any partition of the candidates, (C, V, c) is a no-instance of Veto-CCRPC-TE. \square

A minor tweak in the construction of the previous proof (namely, by having n instead of $n - 1$ votes of the form $w \cdots c$, all else being equal) works for showing NP-hardness of Veto-CCPC-TE and Veto-CCPC-TP in the nonunique-winner model. The proofs are omitted due to space.

Theorem 4.2. *Veto-CCPC-TE and Veto-CCPC-TP are NP-complete in the nonunique-winner model.*

Veto-DCRPC-TE and Veto-DCPC-TE

Now we turn to the destructive variant of the previous problem, but now in both winner models. We again show resistance via a reduction from ONE-IN-THREE-3SAT*.

Theorem 4.3. *Veto-DCRPC-TE is NP-complete in both the unique-winner and the nonunique-winner model.*

Proof. Membership of both problems in NP is again obvious. For showing NP-hardness, we start with the unique-winner model. Let (X, S) be an instance of ONE-IN-THREE-3SAT* with $X = \{x_1, \dots, x_m\}$ and $S = \{S_1, \dots, S_n\}$. Construct an election (C, V) with $C = X \cup \{c, w\}$, $c \in C$ being the distinguished candidate, and the following list of votes:

# votes	preference	for each
$3n + 1$	$c w \cdots x_i$	$i \in \{1, \dots, m\}$
$2n + 2$	$c \cdots w S_j$	$j \in \{1, \dots, n\}$
n	$c \cdots w$	
1	$w \cdots c S_j \setminus \{x_i\}$	$j \in \{1, \dots, n\}$ and $x_i \in S_j$

The reduction can be computed in polynomial time. It is easy to see that c is the only veto winner of election (C, V) :

$$\begin{aligned} \text{score}(c) &= (3n + 1)m + (2n + 2)n + n + 3n, \\ \text{score}(w) &= (3n + 1)m + (2n + 2)n + 3n, \text{ and} \\ \text{score}(x_i) &\leq (3n + 1)(m - 1) + (2n + 2)n + n + 3n. \end{aligned}$$

We claim that (X, S) is a yes-instance of ONE-IN-THREE-3SAT* if and only if (C, V, c) is a yes-instance of Veto-DCRPC-TE.

(\Rightarrow) If (X, S) is a yes-instance of ONE-IN-THREE-3SAT*, then there is a subset U of X such that $|U \cap S_j| = 1$ for each $j \in \{1, \dots, n\}$. Partitioning C into $C_1 = U \cup \{c, w\}$ and $C_2 = C \setminus C_1$ ensures that c is not the only veto winner, since c and w have the same score in subelection (C_1, V) :

$$\begin{aligned} \text{score}(c) &= (3n + 1)m + (2n + 2)n + n + 2n \text{ and} \\ \text{score}(w) &= (3n + 1)m + (2n + 2)n + 3n, \end{aligned}$$

so, by model TE, c cannot move forward to the final round.

(\Leftarrow) Conversely, let (X, S) be a no-instance of ONE-IN-THREE-3SAT*. As in the proof of Theorem 4.1, we consider all possible partitions of C into C_1 and C_2 and show that c always is the only veto winner overall.

Case 1: $C_1 = \{c, w\}$. Then $\text{score}(c) = (3n + 1)m + (2n + 2)n + n$ and $\text{score}(w) = 3n$, so c moves forward to the final round. If the other subelection, (C_2, V) , has more than one winner, TE blocks them all, so c wins. If (C_2, V) has a unique winner, say x_i , we have $\text{score}(c) = (3n + 1)m + (2n + 2)n + n$ and $\text{score}(x_i) \leq 3n$ in the final round, $(\{c, x_i\}, V)$, so c wins.

Case 2: C_1 contains c and some elements of X but not w .

$$\begin{aligned} \text{score}(c) &= (3n + 1)m + (2n + 2)n + n + 3n \text{ and} \\ \text{score}(x_i) &\leq (3n + 1)(m - 1) + (2n + 2)n + n + 3n \end{aligned}$$

then imply that c scores at least $3n + 1$ points more than any x_i and moves forward to the final round. If (C_2, V) has more than one winner, c outright wins; if either w or some x_i wins in (C_2, V) , c wins the run-off as shown in Case 1.

Case 3: C_1 contains c, w , and some elements of X . Rename the elements of $U = C_1 \cap X$ by $U = \{u_1, \dots, u_\ell\}$. Let k be the number of clauses S_j such that $|S_j \cap U| = 0$.

Case 3.1: $k > 0$. Then the scores in (C_1, V) are:

$$\begin{aligned} \text{score}(c) &\geq (3n + 1)m + (2n + 2)n + n + 2(n - k), \\ \text{score}(w) &= (3n + 1)m + (2n + 2)(n - k) + 3n, \text{ and} \\ \text{score}(u_i) &\leq (3n + 1)(m - 1) + (2n + 2)n + n + 3n. \end{aligned}$$

For c to win subelection (C_1, V) alone, we need to show that $\text{score}(c) > \text{score}(w)$ and $\text{score}(c) > \text{score}(u_i)$ for each $u_i \in U$. Simplifying the scores of c and w , we get $2n^2 + 5n - 2k > 2n^2 + 5n - 2nk - 2k$, which is equivalent to $2nk > 0$, which is true because $k > 0$ and $n > 0$. Obviously, c also wins out over each $u_i \in U$, since simplifying their scores yields $2n + 1 > 2k$, which is true. In the run-off, c is either alone or faces some x_i (if x_i is the only veto winner of subelection (C_2, V)). By the argument just given, c triumphs over x_i and is the only overall veto winner.

Case 3.2: $k = 0$. Since (X, S) is a no-instance, there is at least one clause S_j with $|S_j \cap U| \geq 2$ in this case. This implies the following scores in (C_1, V) :

$$\begin{aligned} \text{score}(c) &\geq (3n + 1)m + (2n + 2)n + n + 2n + 1, \\ \text{score}(w) &= (3n + 1)m + (2n + 2)n + 3n, \text{ and} \\ \text{score}(u_i) &\leq (3n + 1)(m - 1) + (2n + 2)n + n + 3n. \end{aligned}$$

Thus c is the only veto winner of subelection (C_1, V) and (by the above arguments) wins also the final run-off alone. Hence, (C, V, c) is a no-instance of Veto-DCRPC-TE. \square

It is known that for voting systems that always have at least one winner (such as veto), any type of destructive control in the unique-winner model polynomial-time disjointly truth-table reduces to the same type of constructive control in the nonunique-winner model (Hemaspaandra, Hemaspaandra, and Rothe 2007, Footnote 5 on p. 257). Therefore, Theorem 4.3 implies the following.

Corollary 4.4. *Veto-CCRPC-TE in the nonunique-winner model cannot be in P, unless P = NP.*

In both winner models, the problems DCRPC-TE and DCPC-TE are known to be identical for all voting systems (Hemaspaandra, Hemaspaandra, and Menton 2013, Thm. 8 on p. 386); the proofs can be found in the related technical report by Hemaspaandra, Hemaspaandra, and Menton (2012). Thus we immediately have from Theorem 4.3:

Corollary 4.5. *Veto-DCPC-TE is NP-complete in both the unique-winner and the nonunique-winner model.*

Veto-DCRPC-TP and Veto-DCPC-TP

We next turn to the ties-promote model, TP. By slightly modifying the proof of Theorem 4.3, we will show resistance in both cases for the nonunique-winner model.

Theorem 4.6. *Veto-DCRPC-TP and Veto-DCPC-TP are NP-complete in the nonunique-winner model.*

Proof. Starting with Veto-DCRPC-TP, we only describe the differences with the construction given in the proof of Theorem 4.3. The only required change is that the votes of the form $c \cdots w$ (see the third row) occur $n - 1$ instead of n times. The arguments showing the correctness of the construction then need to be adapted to model TP; the details are omitted here due to space limitations. Regarding Veto-DCPC-TP, note that DCRPC-TP and DCPC-TP are known to be identical problems in the nonunique-winner model for all voting systems (Hemaspaandra, Hemaspaandra, and Menton 2013, Thm. 8 on p. 386). \square

5 Destructive Control by Partition of Candidates in Maximin Elections

Finally, we turn to destructive control by partition of candidates in maximin elections, focusing on the unique-winner model. We start with the ties-eliminate model.

Maximin-DCRPC-TE and Maximin-DCPC-TE

While veto is vulnerable to both constructive and destructive control by partition of voters but not to the types of candidate control we have studied, maximin voting turns out to be vulnerable to destructive control by partition of candidates.

Theorem 5.1. *In the unique-winner model, maximin-DCRPC-TE is in P.*

Proof. Given an election (C, V) with distinguished candidate $c \in C$ as input, our polynomial-time algorithm for maximin-DCRPC-TE simply works as follows: If c is the Condorcet winner of (C, V) , control is impossible, so reject; otherwise, accept.

To see that the algorithm is correct, note that control is always possible if c is not a Condorcet winner of (C, V) : This means that there is at least one candidate, say $d \in C$, such that $N(d, c) \geq N(c, d)$. Now, partitioning C into $C_1 = \{d\}$ and $C_2 = C \setminus C_1$ ensures that d moves forward to the final run-off, and even if c emerges as the only maximin winner of the other subelection, (C_2, V) , and faces d in the run-off, c will not be the only maximin winner of the overall election. On the other hand, if c is the Condorcet winner of (C, V) , no partition of C can prevent c from being the only maximin winner of the overall election. \square

Again, we can apply the known result that DCRPC-TE equals DCPC-TE for all voting systems (Hemaspaandra, Hemaspaandra, and Menton 2013, Thm. 8 on p. 386).

Corollary 5.2. *In the unique-winner model, maximin-DCPC-TE is in P.*

Maximin-DCRPC-TP and Maximin-DCPC-TP

In the ties-promote model, TP, the algorithm used to prove Theorem 5.1 works as well, though the proof of correctness needs to be slightly adjusted. Note that, unlike in TE, DCRPC-TP and DCPC-TP are not known to coincide in the *unique-winner* model, though DCRPC-TP equals

DCPC-TP in the *nonunique-winner* model (Hemaspaandra, Hemaspaandra, and Menton 2013, Thm. 8 on p. 386), as noted in the proof of Theorem 4.6.

Theorem 5.3. *In the unique-winner model, both maximin-DCRPC-TP and maximin-DCPC-TP are in P.*

Proof. Given an election (C, V) with distinguished candidate $c \in C$ as input, the simple polynomial-time algorithm for maximin-DCRPC-TE from the proof of Theorem 5.1 also works here: If c is the Condorcet winner of (C, V) , reject; otherwise, accept.

The proof of correctness is adjusted as follows. If c is the Condorcet winner of (C, V) , our destructive goal can again never be reached: No partition of C can prevent c from being the only maximin winner of the overall election. On the other hand, if c is not a Condorcet winner of (C, V) , we distinguish two cases: First, if c is a weak Condorcet winner of (C, V) , there exists a candidate, say d , such that $N(d, c) = N(c, d)$; partitioning C into $C_1 = \{d\}$ and $C_2 = C \setminus C_1$ ensures that c will not be the only maximin winner of the overall election. Second, if c is not even a weak Condorcet winner of (C, V) , there exists a candidate, say d , such that $N(d, c) > N(c, d)$; partitioning C into $C_1 = \{c, d\}$ and $C_2 = C \setminus C_1$ will ensure that c does not even win subelection (C_1, V) . Obviously, this argument works both with and without run-off, i.e., both for maximin-DCRPC-TP and maximin-DCPC-TP. \square

6 Conclusions and Open Questions

We have studied the complexity of control by partition of voters or candidates for veto and destructive control by partition of candidates for maximin. For future work, we propose to also settle the complexity of *constructive* control by partition of candidates and of all cases of control by partition of voters for maximin. Regarding veto, the control complexity is still open for partition of voters in model TP and for a number of cases for partition of candidates. In particular, note that we have studied maximin only in the unique-winner model and that also for veto some issues involving the choice of the winner model remain open.

On a higher level, a quite challenging interesting open question is to completely characterize the class of scoring protocols in terms of control complexity (i.e., to establish dichotomy results for the various control types), as has been done by Hemaspaandra and Hemaspaandra (2007) for constructive coalitional weighted manipulation, by Betzler and Dorn (2010) and Baumeister and Rothe (2012) for the possible winner problem (a generalization of coalitional unweighted manipulation due to Konczak and Lang (2005)), and by Hemaspaandra, Hemaspaandra, and Schnoor (2014) for constructive control by adding voters. Finally, it would also be interesting to study veto and maximin with respect to the refined models of control by partition introduced by Erdélyi, Hemaspaandra, and Hemaspaandra (2015).

Acknowledgments

This work has been supported in part by DFG grant RO-1202/15-1.

References

- Bartholdi III, J.; Tovey, C.; and Trick, M. 1989. The computational difficulty of manipulating an election. *Social Choice and Welfare* 6(3):227–241.
- Bartholdi III, J.; Tovey, C.; and Trick, M. 1992. How hard is it to control an election? *Mathematical and Computer Modelling* 16(8/9):27–40.
- Baumeister, D., and Rothe, J. 2012. Taking the final step to a full dichotomy of the possible winner problem in pure scoring rules. *Information Processing Letters* 112(5):186–190.
- Baumeister, D., and Rothe, J. 2015. Preference aggregation by voting. In Rothe, J., ed., *Economics and Computation. An Introduction to Algorithmic Game Theory, Computational Social Choice, and Fair Division*. Springer-Verlag, chapter 4, 197–325.
- Betzler, N., and Dorn, B. 2010. Towards a dichotomy for the possible winner problem in elections based on scoring rules. *Journal of Computer and System Sciences* 76(8):812–836.
- Chen, J.; Faliszewski, P.; Niedermeier, R.; and Talmon, N. 2015. Elections with few voters: Candidate control can be easy. In *Proceedings of the 29th AAAI Conference on Artificial Intelligence*, 2045–2051. AAAI Press.
- Conitzer, V.; Sandholm, T.; and Lang, J. 2007. When are elections with few candidates hard to manipulate? *Journal of the ACM* 54(3):Article 14.
- Elkind, E.; Faliszewski, P.; and Slinko, A. 2011. Cloning in elections: Finding the possible winners. *Journal of Artificial Intelligence Research* 42:529–573.
- Erdélyi, G.; Fellows, M.; Rothe, J.; and Schend, L. 2015. Control complexity in Bucklin and fallback voting: A theoretical analysis. *Journal of Computer and System Sciences* 81(4):632–660.
- Erdélyi, G.; Hemaspaandra, E.; and Hemaspaandra, L. 2015. More natural models of electoral control by partition. In *Proceedings of the 4th International Conference on Algorithmic Decision Theory*, 396–413. Springer-Verlag *Lecture Notes in Artificial Intelligence* #9346.
- Erdélyi, G.; Nowak, M.; and Rothe, J. 2009. Sincere-strategy preference-based approval voting fully resists constructive control and broadly resists destructive control. *Mathematical Logic Quarterly* 55(4):425–443.
- Faliszewski, P., and Rothe, J. 2016. Control and bribery in voting. In Brandt, F.; Conitzer, V.; Endriss, U.; Lang, J.; and Procaccia, A., eds., *Handbook of Computational Social Choice*. Cambridge University Press, chapter 7. To appear.
- Faliszewski, P.; Hemaspaandra, E.; Hemaspaandra, L.; and Rothe, J. 2009. Llull and Copeland voting computationally resist bribery and constructive control. *Journal of Artificial Intelligence Research* 35:275–341.
- Faliszewski, P.; Hemaspaandra, E.; and Hemaspaandra, L. 2009. How hard is bribery in elections? *Journal of Artificial Intelligence Research* 35:485–532.
- Faliszewski, P.; Hemaspaandra, E.; and Hemaspaandra, L. 2011. Multimode control attacks on elections. *Journal of Artificial Intelligence Research* 40:305–351.
- Garey, M., and Johnson, D. 1979. *Computers and Intractability: A Guide to the Theory of NP-Completeness*. W. H. Freeman and Company.
- Hemaspaandra, E., and Hemaspaandra, L. 2007. Dichotomy for voting systems. *Journal of Computer and System Sciences* 73(1):73–83.
- Hemaspaandra, E.; Hemaspaandra, L.; and Menton, C. 2012. Search versus decision for election manipulation problems. Technical Report arXiv:1202.6641 [cs.GT], Computing Research Repository, arXiv.org/corr/.
- Hemaspaandra, E.; Hemaspaandra, L.; and Menton, C. 2013. Search versus decision for election manipulation problems. In *Proceedings of the 30th Annual Symposium on Theoretical Aspects of Computer Science*, volume 20 of *LIPICs*, 377–388. Schloss Dagstuhl – Leibniz-Zentrum für Informatik.
- Hemaspaandra, E.; Hemaspaandra, L.; and Rothe, J. 2007. Anyone but him: The complexity of precluding an alternative. *Artificial Intelligence* 171(5–6):255–285.
- Hemaspaandra, E.; Hemaspaandra, L.; and Schnoor, H. 2014. A control dichotomy for pure scoring rules. In *Proceedings of the 28th AAAI Conference on Artificial Intelligence*, 712–720. AAAI Press.
- Konczak, K., and Lang, J. 2005. Voting procedures with incomplete preferences. In *Proceedings of the Multidisciplinary IJCAI-05 Workshop on Advances in Preference Handling*, 124–129.
- Lin, A. 2012. *Solving Hard Problems in Election Systems*. Ph.D. Dissertation, Rochester Institute of Technology, Rochester, NY, USA.
- Liu, H., and Zhu, D. 2010. Parameterized complexity of control problems in maximin election. *Information Processing Letters* 110(10):383–388.
- Loreggia, A.; Narodytska, N.; Rossi, F.; Venable, B.; and Walsh, T. 2015. Controlling elections by replacing candidates or votes (extended abstract). In *Proceedings of the 14th International Conference on Autonomous Agents and Multiagent Systems*, 1737–1738. IFAAMAS.
- Menton, C., and Singh, P. 2013. Control complexity of Schulze voting. In *Proceedings of the 23rd International Joint Conference on Artificial Intelligence*, 286–292. AAAI Press/IJCAI.
- Menton, C. 2013. Normalized range voting broadly resists control. *Theory of Computing Systems* 53(4):507–531.
- Parkes, D., and Xia, L. 2012. A complexity-of-strategic-behavior comparison between Schulze’s rule and ranked pairs. In *Proceedings of the 26th AAAI Conference on Artificial Intelligence*, 1429–1435. AAAI Press.
- Russel, N. 2007. Complexity of control of Borda count elections. Master’s thesis, Rochester Institute of Technology.